



Release Notes for WinRecs Version 2025.02

Release Date: May 22, 2025

The 2025.02 service release includes fixes for reported issues as well as enhancements.

This release is cumulative only after the most recent WinRecs Update has been applied however the update must be applied on minimal version **2025.01** or greater.

For additional information on this, or previous releases, contact MED2020 Customer Support at <mailto:support@med2020.ca>.

Table of Contents

[WinRecs3\Modules\Abstracting](#)

PR_21918	Field Audit History: Not Showing Changes in Multiforms
PR_22823	Audit Trail - Deletion of Multiform Occurrences
PR_25197	Abstract Notes Date Logged Is Blank
PR_25198	3M Bridge NACRS ModifyTag EVI
PR_25421	Special Project 792: Update Description Look Up Value N
PR_25435	Edit Missing for anesthetic Technique

[WinRecs3\Tools\Batch Interface](#)

PR_24694	Batch Interface missing Report Menu Icon
PR_24716	Batch Interface Structure File Detailed Descriptions

[WinRecs3\Reporting](#)

PR_25008	WR3 Exporting Reports-Blank File Name
PR_25157	Default Report Save File Location

[WinRecs3\Tools\File Management\CIHI Submission](#)

PR_25062	Error Message When Accessing a Visit During Submission Process
--------------------------	--

[WinRecs3\Options\User Profile](#)

[PR_25195](#) User Profile: Add additional search options

[WinRecs3\Reporting\Views](#)

[PR_25202](#) Add 'Created Date/Record Update History' fields to EMT views

[PR_25238](#) Sec_ReportHistory_VR not working correctly

[PR_25242](#) I10_AbtractingInterventionReplicate_VR Displays Empty Line

[PR_25254](#) I10_Amcare_And_Intervention_VR Missing Interv Time
Unknown Fields.docx

[PR_25413](#) WR3 - Crystal Field 'GroupFieldOcc' Missing Information

[PR_25464](#) CJRR_VR zzAbstractLink and zzCJRR_Link Return Same
Value

[PR_25468](#) I10_Amcare_Projects_065_VR Bundled Care Type Description
Returning Blank Value

[WinRecs3\Modules\Chart Maintenance\\[VOL\] Chart Volumes](#)

[PR_25206](#) Chart Activity Displaying Incorrect Volume Type

[WinRecs3\Maintenance\Lookup Code Maintenance](#)

[PR_25227](#) Fiscal 2024 DAD Institutions and Types V1.12 Mar 2025 and
Fiscal 2025 DAD Institutions and Types V1.3 Mar 2025

[PR_25250](#) ED Shortlist Access in Look Up Code Maintenance

[PR_25425](#) Fiscal 2025 DAD Institutions and Types V1.4 Apr 2025

[PR_25452](#) Add New Descriptions to U50 and U51 Codes

[WinRecs3\Modules\Chart Maintenance\\[DEF\] Chart Deficiency](#)

[PR_25246](#) Unable to search on Provider Name, Patient First and Last
Name

[PR_25247](#) F5 New Deficiency Cursor Not Landing on Chart Number Field

[PR_25248](#) Deficiency Detail Complete and Complete All Missing Function
Key

[WinRecs3\Modules\Abtracting\\[CCM\] Cancer Care Module](#)

[PR_25249](#) CCM HCP Provider Number NACRS Section

[PR_25339](#) Add NCT List to CCM NACRS Regimen Code table

[PR_25352](#) Cancer Care: Auto populate Prognostic Staging

[PR_25426](#) CCM HCN Validation Rules

[WinRecs3\Maintenance\Project Maintenance](#)

[PR_25398](#) Add Definitions to Project 380 DAD/NACRS

[WinRecs3\Modules\Clinical\\[NRS\] National Rehabilitation Reporting System](#)

PR_25399	Locomotion Walk/Wheelchair Mode is 1 on R1 and R2 Generating Error on Discharge
PR_25400	53B Locomotion Walk/Wheelchair and Stairs Descriptions
WinRecs3\Options\Hospital Profile	
PR_25408	Create New Field in Hospital Profile To Disable CCM Edits In NACRS
WinRecs3\Tools\[EMT] Edits Management Tool	
PR_25432	Operator "Like" or "Not Like" Not in Display Table
WinRecs3\Modules\Chart Maintenance\[LOC] Chart Locator	
PR_25433	Locator Does Not Display Total Charts Volumes
WinRecs3\Modules\Abstracting\[DAD] AbsCare Inpatient	
PR_25434	DAD Error 10 02 53 Not Working with Change of Entry Code
WinRecs3\Modules\Abstracting\[NACRS] Level 3 AmCare Ambulatory	
PR_25436	Level 3 - Is Corrected = (R) Resubmitted Not Working
WinRecs3\Modules\Clinical\[MDS] Continuing Care Reporting System	
PR_25448	CCRS-Copy Data from Latest Assessment

Ticket Details

[WinRecs3\Modules\Abstracting](#)

PR_21918 Field Audit History: Not Showing Changes in Multiforms

Field Audit History window pane records changes made to fields in a multiform.

PR_22823 Audit Trail - Deletion of Multiform Occurrences

When deleting a whole line on a multiform, the audit trail was not recording that the line had been deleted. This has been fixed and the deletion will be recorded in the audit trail.

PR_25197 Abstract Notes Date Logged Is Blank

An issue has been resolved that was preventing the abstract notes date logged value from retaining on save.

PR_25198 3M Bridge NACRS ModifyTag EVI

The EVI tag has been modified for the 3M Bridge interface. The following values will now be sent to 3M based on the MIS code in WinRecs.

Send '0' for Clinic records

Send '1' for ED records

Send '2' for SDS records

PR_25421 Special Project 792: Update Description Look Up Value N

For Special Project 792 Look Up Value N Description has been updated as follows:

N: Other gastrointestinal site Intervention was performed in other digestive tract site (e.g., esophagus, stomach)

PR_25435 Edit Missing for anesthetic Technique

Edit for mandatory Anesthetic technique was missing that has now been added . Edit is "Anesthetic Technique is a CIHI Mandatory Field that is not completed "

WinRecs3\Tools\Batch Interface

PR_24694 Batch Interface missing Report Menu Icon

The Report Manager icon is now available under the Tools, Batch Interface module.

PR_24716 Batch Interface Structure File Detailed Descriptions

In Tools, Batch Interface module when right-clicked on the "Standard Batch In" to Show Standard Batch In List, it will display the batch layouts and additional details.

WinRecs3\Reporting

PR_25008 WR3 Exporting Reports-Blank File Name

The file name will now populate when exporting reports through Report Manager using the largerExport Report icon.

PR_25157 Default Report Save File Location

In the user profile, there is a new setting to select a default reports save location. There is an ability to select a unique save location for specific care types. If blank then it will use the default location setup for all modules. If that value is blank it will use the last location the user saved a report to.

WinRecs3\Tools\File Management\CIHI Submission

PR_25062 Error Message When Accessing a Visit During Submission Process

A message will now generate if a user tries to access a visit for the same period a submission is being processed on.

WinRecs3\Options\User Profile

PR_25195 User Profile: Add additional search options

When searching for a user in User Profile, First and LastName have been added as additional search criteria.

<u>WinRecs3\Reporting\Views</u>
--

PR_25202 Add 'Created Date/Record Update History' fields to EMT views

The fields 'Created Date/ Record Update History' has been added to the following views:

- EMT_Edit_AND_Conditions_VR
- EMT_fieldconditions_VR
- EMT_Logical_Conditions_VR

PR_25238 Sec_ReportHistory_VR not working correctly

The Sec_ReportHistory_VR was not pulling report view historydata. This has been corrected.

PR_25242 I10_AbstractingInterventionReplicate_VR Displays Empty Line

When running a report using the I10_AbstractingInterventionReplicate_VR, it no longer lists an EMPTY Intervention line to each abstract.

PR_25254 I10_Amcare_And_Intervention_VR Missing Interv Time Unknown Fields.docx

In 10_Amcare_And_Interventions_VR the Intervention Time In Unknown and Intervention Time Out Unknown fields have been added to the view.

PR_25413 WR3 - Crystal Field 'GroupFieldOcc' Missing Information

The field 'GroupFieldOcc' in the DAD CIHI Error Report is only displaying the Occurrence not the Group & Field. . The field is in the I10_AbstractCIHIErrors_VR. This has now been fixed.

PR_25464 CJRR_VR zzAbstractLink and zzCJRR_Link Return Same Value

When I10_Abstracting view was linked to the CJRR_VR by zzabstractlink the CJRR field values did not display. The issue was the CJRR_VR zzAbstractLink was the same value as the zzCJRR_Link. This issue has been resolved so that the CJRR_VR zzAbstractLink will now match the abstract record id (zzabstractlink).

PR_25468 I10_Amcare_Projects_065_VR Bundled Care Type Description Returning Blank Value

I10_Amcare_Projects_065_VR was returning blank Bundled Care Type and Description fields - this issue has been resolved.

WinRecs3\Modules\Chart Maintenance\[VOL] Chart Volumes

PR_25206 Chart Activity Displaying Incorrect Volume Type

The Chart Volume module was showing incorrect Chart Activity details for patient abstracts. This is now corrected and this module will only show Chart Activity for the selected Patient ID.

WinRecs3\Maintenance\Lookup Code Maintenance

PR_25227 Fiscal 2024 DAD Institutions and Types V1.12 Mar 2025 and Fiscal 2025 DAD Institutions and Types V1.3 Mar 2025

Fiscal 2024 DAD Institutions and Types V1.12 Mar 2025 and Fiscal 2025 DAD Institutions and Types V1.3 Mar 2025 update is included in this release.

PR_25250 ED Shortlist Access in Look Up Code Maintenance

A new table "ED Discharge Diagnosis Codes" has been added to the common list in Look Up Code Maintenance. This will only show codes from CIHI's Canadian Emergency Department Shortlist. There is also an additional checkbox in the "Diagnosis Codes" table called ED Discharge that will be flagged if the code applies to this ED Shortlist.

PR_25425 Fiscal 2025 DAD Institutions and Types V1.4 Apr 2025

Fiscal 2025 DAD Institutions and Types V1.4 Apr 2025 update included in this release.

PR_25452 Add New Descriptions to U50 and U51 Codes

New Code Descriptions for U50 and U51 have been added as follows:

U50 Code Descriptions:

U50.0 Electric standing scooter, as mode of transport for person injured

U50.1 Seated mobility motorized scooter, as mode of transport for person injured

U50.2 Other specified electric standing pedestrian conveyance device, as mode of transport for person injured

U50.3 Electric bicycle, as mode of transport for person injured

U50.4 Other specified type of motorcycle, as mode of transport for person injured

U50.5 Motorcycle, type unspecified, as mode of transport for person injured

U51 Code Changes:

U51.0 Electric standing scooter, as mode of transport for counterpart

U51.1 Seated mobility motorized scooter, as mode of transport for counterpart

U51.2 Other specified electric standing pedestrian conveyance device, as mode of transport for counterpart

U51.3 Electric bicycle, as mode of transport for counterpart

U51.4 Other specified type of motorcycle, as mode of transport for counterpart

U51.5 Motorcycle, type unspecified, as mode of transport for counterpart

WinRecs3\Modules\Chart Maintenance\DEF Chart Deficiency

PR_25246 Unable to search on Provider Name, Patient First and Last Name

In Chart Deficiency when F4 Search can search on Provider Name, Patient First and Last Name.

PR_25247 F5 New Deficiency Cursor Not Landing on Chart Number Field

When F5 NEW to create a new Chart Deficiency, the cursor now lands on the Chart Number field.

PR_25248 Deficiency Detail Complete and Complete All Missing Function Key

In the Deficiency Detail List window pane the associated function keys for Deficiency Complete [F11] and Deficiency Complete All [F12] now displays.

WinRecs3\Modules\Abstracting\CCM Cancer Care Module

PR_25249 CCM HCP Provider Number NACRS Section

Added a new field to the CCM portion of the NACRS visit called 'CCM HCP Number'. This field will auto-populate based on the corresponding value in provider maintenance. Linking using the field called 'CCM Health Care Provider Field'. When the provider number is entered into the CCM section, it will set the HCP number field automatically.

PR_25339 Add NCT List to CCM NACRS Regimen Code table

Added the clinical trials NCT List to CCM NACRS Regimen Code table

PR_25352 Cancer Care: Auto populate Prognostic Staging

Prognostic Staging will now auto populate the valid values when there is only one selection - where there are multiple selections will not auto populate.

PR_25426 CCM HCN Validation Rules

In the cancer care module, an edit was modified to allow a HCN value of '0' with a HCN province of ON or other valid province. This is not align with the data rules in the CCO Data Book.

WinRecs3\Maintenance\Project Maintenance

PR_25398 Add Definitions to Project 380 DAD/NACRS

Ontario: Special Project 380: Peripheral Artery Disease has been included in this release including definitions.

WinRecs3\Modules\Clinical\[NRS] National Rehabilitation Reporting System

PR_25399 Locomotion Walk/Wheelchair Mode is 1 on R1 and R2 Generating Error on Discharge

If (52A) Locomotion Walk/Wheelchair Mode =1 on Admission, and (52A) Locomotion Walk/Wheelchair Mode =1 on Discharge the Discharge Assessment no longer an error message will display.

PR_25400 53B Locomotion Walk/Wheelchair and Stairs Descriptions

52B Locomotion:Walk/Wheelchair and 53 Locomotion: Stairs displays value 5 with two separate descriptions 5-Exception (household ambulation) and 5-Supervision like in the CIHI manual.

WinRecs3\Options\Hospital Profile

PR_25408 Create New Field in Hospital Profile To Disable CCM Edits In NACRS

A new field has been added in the Hospital Profile called: CCM In NACRS Submission. When CCM In NACRS Submission field is set to N, the CCM edits will not display in the NACRS visit and the fields will not be included in the submission.

WinRecs3\Tools\[EMT] Edits Management Tool

PR_25432 Operator "Like" or "Not Like" Not in Display Table

When creating a Field Condition and user selects Operator 'Like' or 'Not Like', press plus sign and the table will display.

WinRecs3\Modules\Chart Maintenance\[LOC] Chart Locator

PR_25433 Locator Does Not Display Total Charts Volumes

Total Number of Volumes in the Chart selected list displays beside the Volume field.

WinRecs3\Modules\Abstracting\[DAD] AbsCare Inpatient

PR_25434 DAD Error 10 02 53 Not Working with Change of Entry Code

Initial entry for Entry code = N and Diagnosis code = Z380*. After saving the Entry code was changed to D and an edit did not generate to prevent Z380* value being submitted which resulted in this error from CIHI:

10 02 53: The age, in years, must fall within the minimum and maximum ages of the appropriate diagnosis validation table for the diagnosis code. On the validation table a 000 minimum age indicates no lower limit. a 130 maximum age indicates no upper limit and a 000 maximum age indicates entry code must be newborn (N) or stillbirth (S)

Entry code must = N to use Z380*, Z383*, Z386*

This issue has been resolved.

WinRecs3\Modules\Abstracting\[NACRS] Level 3 AmCare Ambulatory

PR_25436 Level 3 - Is Corrected = (R) Resubmitted Not Working

When a Level 3 record was sent as correction to CIHI, the 'Is File Corrected' field was not setting to 'R', This has been fixed.

WinRecs3\Modules\Clinical\[MDS] Continuing Care Reporting System

PR_25448 CCRS-Copy Data from Latest Assessment

Clinical data was not getting copied over from previous visits into the quarterly or annual MDS (CCRS) assessments. This was a result of a setup in the control file and has been corrected for MDS, MHRS and NRS modules.

Release Notes for WinRecs 2025.02